

Contents

Preface	xi
A. D'Amico (Rome Italy)	
Illis qui in congressu Eurosensors V intersunt salutem nuntiat	xii
P. Augustinus Giordano (Rome, Italy)	
Welcoming address to Eurosensors V (translation from the Latin)	xiii
Welcome to participants	xiv
A. D'Amico (Rome, Italy)	
Committees	xv
Sponsors	xvi
Awards	xvi
Plenary Lectures	
Neuronal networks for biochemical sensing	1
G. W. Gross, B. Rhoades and R. Jordan (Denton, TX, USA)	
Chemical sensors R&D in Japan	9
N. Yamazoe (Fukuoka, Japan)	
Chemical Sensors	
Continuous pollution control by chemical sensors	19
K. Cammann (Münster, FRG)	
Molecular recognition of organic solvents and ammonia: shapes and donor properties as sensor effects.	25
F. L. Dickert, A. Haunschild, P. Hofmann and G. Mages (Erlangen, FRG)	
Hydrogenated amorphous silicon technology for chemically sensitive thin-film transistors	29
L. Mariucci, G. Fortunato, A. Pecora, A. Bearzotti, P. Carelli and R. Leoni (Rome, Italy)	
Multi-ion sensing device for horticultural application based upon chemical modification and special packaging of ISFETs	34
H. H. van den Vlekert, U. H. Verkerk, P. D. van der Wal, A. van Wingerden (De Lier, Netherlands), D. N. Reinhoudt, J. R. Haak, G. W. N. Honig and H. A. J. Holterman (Enschede, Netherlands)	
Application-specific design of a piezoelectric chemosensor array	38
A. Schmautz (Munich, FRG)	
Electroconducting conjugated polymers: new sensitive matrices to build up chemical or electrochemical sensors. A review	45
G. Bidan (Grenoble, France)	
A silicon integrated miniature chemical analysis system	57
B. H. van der Schoot, S. Jeanneret, A. van den Berg and N. F. de Rooij (Neuchâtel, Switzerland)	
An application of carbon-type semiconductors for the construction of a humidity-sensitive diode	61
J. P. Lukaszewicz (Toruń, Poland)	
A silicon flow cell for optical detection in miniaturized total chemical analysis systems	66
E. Verpoorte, A. Manz, H. Lüdi, A. E. Bruno, F. Maystre, B. Krattiger, H. M. Widmer (Basel, Switzerland), B. H. van der Schoot and N. F. de Rooij (Neuchâtel, Switzerland)	
Application of an electronic nose to the discrimination of coffees	71
J. W. Gardner, H. V. Shurmer and T. T. Tan (Coventry, UK)	
Biosensors I	
Biosensors for medical applications	79
M. Mascini (Florence, Italy)	
Spectral investigation and optimization of pH and urea sensors	83
G. Gauglitz and M. Reichert (Tübingen, FRG)	

Thermal diffusion probes for tissue blood flow measurements.	87
G. Delhomme, A. Dittmar (Lyon, France), W. H. Newman, H. F. Bowman (Cambridge, MA, USA) and M. Jouvet (Lyon, France)	
Combination of amperometric and potentiometric sensor principles for on-line blood monitoring.	91
W. Schelter, W. Gumbrecht, B. Montag (Erlangen, FRG), U. Sykora and W. Erhardt (Munich, FRG)	
Direct monitoring of antigen-antibody interactions by spectral interferometry.	96
A. Brecht, J. Ingenhoff and G. Gauglitz (Tübingen, FRG)	
Detection of charged proteins by means of impedance measurements.	101
J. Kruise, J. G. Rispens, P. Bergveld, F. J. B. Kremer, D. Starmans, J. R. Haak, J. Feijen and D. N. Reinhoudt (Enschede, Netherlands)	
Amperometric polypyrrole enzyme electrodes: effect of permeability and enzyme location.	106
M. Hämmerle, W. Schuhmann and H.-L. Schmidt (Freising-Weihenstephan, FRG)	
Microelectronic and nanoelectronic interfacing techniques for biological systems.	113
P. Connolly, G. R. Moores, W. Monaghan, J. Shen (Glasgow, Scotland, UK), S. Britland and P. Clark (London, UK)	
Direct optical immunosensing (sensitivity and selectivity).	122
W. Huber, R. Barner, Ch. Fättinger, J. Hübscher, H. Koller, F. Müller, D. Schlatter (Basel, Switzerland) and W. Lukosz (Zurich, Switzerland)	
Development of the thermal micro-biosensor fabricated on a silicon chip.	127
B. Xie, B. Danielsson (Lund, Sweden), P. Norberg, F. Winquist and I. Lundström (Linköping, Sweden)	
A Love plate biosensor utilising a polymer layer.	131
E. Gizeli, N. J. Goddard, C. R. Lowe (Cambridge, UK) and A. C. Stevenson (Towcester, UK)	
Recent investigations on calorimetric biosensors.	138
B. Danielsson, U. Hedberg, M. Rank and B. Xie (Lund, Sweden)	
<i>In vivo</i> continuous monitoring of glucose by microdialysis and a glucose biosensor.	143
M. Mascini (Florence, Italy), D. Moscone (Rome, Italy) and L. Bernardi (Milan, Italy)	
Gas Sensors I	
Materials selection for semiconductor gas sensors.	149
P. T. Moseley (Didcot, UK)	
Visual images of gas mixtures produced with field-effect structures.	157
F. Winquist, H. Sundgren, E. Hedborg, A. Spetz and I. Lundström (Linköping, Sweden)	
Performance of hydrogen-sensitive MOS capacitances with integrated on-chip signal conditioning.	162
H. G. Dura, U. Schöneberg, W. Mokwa, B. J. Hostika and H. Vogt (Duisburg, FRG)	
Fabrication and modelling of CMOS microbridge gas-flow sensors.	165
D. Moser, R. Lenggenhager, G. Wachutka and H. Baltes (Zurich, Switzerland)	
Integrated optical filters for infrared electrooptical gas sensors.	170
F. López, J. de Frutos, A. M. González and A. Navarro (Madrid, Spain)	
Biosensors II	
Application of supramolecular chemistry in the development of ion-selective CHEMFETs.	179
D. N. Reinhoudt (Enschede, Netherlands)	
An ISFET-based FIA system for immunosensing.	186
F. Aberl, S. Modrow, H. Wolf, S. Koch and P. Woias (Munich, FRG)	
Developing biosensors with pH-ISFET transducers utilizing lipid bilayer membranes with transport proteins.	192
D. Ottenbacher, R. Kindervater, P. Gimme, B. Klee, F. Jähnig and W. Göpel (Tübingen, FRG)	
Evaluation of conducting LB films based on ethylenedithiotetrathiafulvalene (EDT-TTF) derivatives for phosphine sensing.	197
S. Clemendot, M. Vandevyver, J.-P. Bourgoin, G. Derost, A. Ruaudel-Teixier and A. Barraud (Gif-sur-Yvette, France)	
Fabrication and characterization of ENFET devices for biomedical applications and environmental monitoring.	202
C. Colapicchioni, A. Barbaro and F. Porcelli (Rome, Italy)	

Langmuir-Blodgett film based membrane for DNA-probe biosensor	208
M. A. Karymov, A. A. Kruchinin, Yu. A. Tarantov, I. A. Balova, L. A. Remisova, N. G. Sukhodolov, A. I. Yanklovich and A. M. Yorkin (St. Petersburg, Russia)	
Application of rod-like polymers with ionophores as Langmuir-Blodgett membranes for Si-based ion sensors.	211
R. Erbach, B. Hoffmann (Karlsruhe, FRG), M. Schaub and G. Wegner (Mainz, FRG)	
Applications	
Multisensor operation of ion-sensitive field-effect transistors in the constant current mode	219
F. Valdes-Perezgasga and A. K. Covington (Newcastle upon Tyne, UK)	
Air pollution monitoring with a semiconductor gas sensor array system	223
J. Miszei (Budapest, Hungary) and V. Lantto (Oulu, Finland)	
Physical Sensors	
Influence of dopants on the response time and the signals of lambda sensors based on thin films of strontium titanate	231
J. Gerblinger and H. Meixner (Munich, FRG)	
Gas Sensors II	
Classical and novel techniques for the preparation of SnO ₂ thin-film gas sensors.	239
G. Sberveglieri (Brescia, Italy)	
Sensitivity and selectivity of doped SnO ₂ thick-film sensors to H ₂ S in the constant- and pulsed-temperature modes	248
A. Harkoma-Mattila, T. S. Rantala, V. Lantto and S. Leppävuori (Oulu, Finland)	
A family of tin oxide-based sensors with improved selectivity to methane.	253
N. Buttà, L. Cinquegrani, E. Mugno, A. Tagliente and S. Pizzini (Milan, Italy)	
Sensing reducing gases at high temperatures using long-term stable Ga ₂ O ₃ thin films.	257
M. Fleischer and H. Meixner (Munich, FRG)	
Detection of methane/butane mixtures in air by a set of two microcalorimetric sensors	262
V. Sommer, R. Rongen, P. Tobias and D. Kohl (Giessen, FRG)	
Oxygen concentration measurements using the ESR line modification of PcLi molecules.	266
D. Duret, M. Moussavi, C. Jeandey and M. Beranger (Grenoble, France)	
Limiting-current chlorine gas sensor based on β'' -alumina solid electrolyte	270
J. Liu and W. Weppner (Stuttgart, FRG)	
Sensitivity comparison between gas sensors using SAW and shear horizontal plate-mode oscillators	274
D. Rebière, J. Pistré (Talence, France), M. Hoummady, D. Hauden (Besançon, France), P. Cunin and R. Planade (Ver-le-Petit, France)	
Influence of the nature of the screen-printed electrode metal on the transport and detection properties of thick-film semiconductor gas sensors.	279
P. Dutronc, B. Carbonne, F. Menil and C. Lucat (Talence, France)	
A gas sensor system with dielectric and mass sensors	285
H.-E. Endres, L. D. Mickle, C. Kösslinger, S. Drost (Munich, FRG) and F. Hutter (Würzburg, FRG)	
The sensitization of semiconductor gas sensors.	289
N. Golovan and V. Smytyna (Odessa, USSR)	
Ion Sensors	
Principles and mechanisms of ion-selective optodes.	295
K. Seiler and W. Simon (Zurich, Switzerland)	
Dip-coating process for preparation of ion-sensitive NASICON thin films.	299
P. Fabry, Y. L. Huang, A. Caneiro (Saint Martin d'Hères, France) and G. Patrat (Grenoble, France)	
Detection of heavy metal ions by ISFETs in a flow injection analysis cell	304
P. L. H. M. Cobben, R. J. M. Egberink, J. Bomer, J. R. Haak, P. Bergveld and D. N. Reinhoudt (Enschede, Netherlands)	

The ion-step method applied to separate membranes for the development of ion-responding immunosensors	308
R. B. M. Schasfoort and B. Eijmsa (Zeist, Netherlands)	

Technology

Simulation of ISFET operation based on the site-binding model	315
L. K. Meixner and S. Koch (Munich, FRG)	

Contents

POSTER DISCUSSIONS

Biomedical Sensors

- Thick film biosensors for urea 321
 U. Bilitewski, W. Drewes and R. D. Schmid (Braunschweig, FRG)
- A thermal conductivity sensor for the measurement of skin blood flow 327
 A. Dittmar, T. Pauchard, G. Delhomme (Lyon, France) and E. Vernet-Maury (Villeurbanne, France)
- Multichannel ISFET catheter for temporal and spatial pH variation studies in the stomach over 24 hours 332
 L. Thybaud, C. Depeursinge (Ecublens, Switzerland), A. Grisel (Neuchâtel, Switzerland), C. Emde, D. Armstrong and F. Vianni (Lausanne, Switzerland)

Technology of Biosensors

- Amperometric response of polypyrrole entrapped bienzyme films 339
 B. F. Y. Yon Hin and C. R. Lowe (Cambridge, UK)
- Possible developments of a potentiometric biosensor 343
 M. Adami, M. Sartore, A. Rapallo and C. Nicolini (Genova Sestri Ponente, Italy)
- Lectin coated piezoelectric crystal biosensors 347
 C. Barnes, C. D'Silva, J. P. Jones and T. J. Lewis (Gwynedd, UK)
- Miniaturized disposable biosensors 351
 U. Bilitewski, G. C. Chemnitz, P. Rüger and R. D. Schmid (Braunschweig, FRG)
- Advanced immobilization and protein techniques on thin film biosensors 356
 I. Moser, T. Schalkhammer, E. Mann-Buxbaum, G. Hawa, M. Rakohl, G. Urban and F. Pittner (Vienna, Austria)
- Glucose sensor based on the LUQUEN principle 363
 G. L. J. Hesselink, H. J. M. Kreuwel, P. V. Lambeck, H. J. v. d. Bovenkamp, J. F. J. Engbersen, D. N. Reinhoudt and Th. J. A. Popma (Enschede, Netherlands)
- The super-Nernstian pH sensitivity of Ta₂O₅-gate ISFETs 367
 A. S. Poghosian (Yerevan, Armenia)
- Optoimmunosensors for analysis of specific and non-specific classes of immunoglobulins 371
 N. F. Starodub, A. E. Rachkov (Kiev, Ukraine), P. Ya. Arenkov and V. A. Berezin (Dnipropetrovsk, Ukraine)
- A biosensor based on the membrane protein lactose permease 376
 B. Klee, E. John and F. Jähnig (Tübingen, FRG)

Enzyme Sensors

- New enzyme sensor for phenol determination in non-aqueous and aqueous medium 383
 L. Campanella, M. P. Sammartino and M. Tomassetti (Rome, Italy)
- New aspects of enzyme chronopotentiometry 389
 B. Uhe, W. Schuhmann, G. Janker, H.-L. Schmidt (Freising-Weihenstephan, FRG) and J. Janata (Salt Lake City, UT, USA)
- Comparison of native and chemically stabilized enzymes in amperometric enzyme electrodes 393
 W. Schuhmann, C. Lehn, H.-L. Schmidt (Freising-Weihenstephan, FRG) and B. Gründig (Leipzig, FRG)
- PPy thin layers grown onto copper salt replica for sensor array fabrication 399
 A. S. Fiorillo, C. Di Bartolomeo, A. Nannini and D. De Rossi (Pisa, Italy)
- An improved micro enzyme sensor for bioprocess monitoring by flow injection analysis 404
 S. Haemmerli, A. Schaeffler, A. Manz and H. M. Widmer (Basel, Switzerland)
- Organic phase enzyme electrodes for the determination of hydrogen peroxide and phenol 408
 F. Schubert, F. Scheller (Berlin-Buch, FRG), S. Saini and A. P. F. Turner (Cranfield, UK)
- Biosensor for sensitive phosphate detection 412
 U. Wollenberger, F. Schubert and F. W. Scheller (Berlin, FRG)

Langmuir-Blodgett Sensors

- Modelling the influence of electrodes on a lipid monolayer 419
S. Cincotti, M. Parodi and A. Chiabrera (Genoa, Italy)

Plant-Based Sensors

- Plant metabolism as an analytical tool: some applications of plant tissue electrodes for the selective determination of catecholamines 427
F. Mazzei, F. Botre, M. Lanzi, G. Lorenti, F. Porcelli and C. Botrè (Rome, Italy)
- Ion determinations within *Azolla* leaf cavities by microelectrodes 431
A. Canini, M. Grilli Caiola, P. Bertocchi, M. G. Lavagnini (Rome, Italy) and M. Mascini (Florence, Italy)

Humidity Sensors

- Thick film humidity sensors based on (Ba, Sr)TiO₃ porous ceramic doped with MgO and CaO 439
J. Slunečko, J. Holc, M. Hrovat and M. Čeh (Ljubljana, Slovenia)
- Optical humidity sensing characteristics of Nafion-dyes composite thin films 443
Y. Sadaoka, M. Matsuguchi, Y. Sakai and Y. Murata (Matsuyama, Japan)
- Thin films of iodine-polyphenylacetylene as starting materials for humidity sensors 447
A. Furlani, G. Iucci, M. V. Russo, A. Bearzotti and A. D'Amico (Rome, Italy)
- Fast humidity response of a metal halide-doped novel polymer 451
A. Bearzotti, A. D'Amico, A. Furlani, G. Iucci and M. V. Russo (Rome, Italy)
- Dew point hygrometer with heat injection — principle of construction and operation 455
R. S. Jachowicz (Warsaw, Poland)
- Magnesium aluminium spinel thin film as a humidity sensor 460
G. Gusmano, G. Montesperelli, E. Traversa, A. Bearzotti, G. Petrocco, A. D'Amico and C. Di Natale (Rome, Italy)
- Microstructure and electrical properties of an α -hematite ceramic humidity sensor 464
M. Pelino, C. Colella, C. Cantalini, M. Faccio, G. Ferri (Montelucio di Roio, Italy) and A. D'Amico (Rome, Italy)

Opto-Chemical Sensors

- An optical sensor for the detection of nitrate 473
R. Lump, J. Reichert and H. J. Ache (Karlsruhe, FRG)

Technology of Chemical Sensors

- Simplified design of the coulometric sensor-actuator system by the application of a time-dependent actuator current 479
W. Olthuis and P. Bergveld (Enschede, Netherlands)
- Light-addressable chemical sensors: modelling and computer simulations 484
G. Massobrio, S. Martinoia and M. Grattarola (Genoa, Italy)
- Multisensor array for pH, K⁺, Na⁺ and Ca²⁺ measurements based on coated-film electrodes 488
U. Lemke, K. Cammann (Münster, FRG), C. Kötter, C. Sundermeier and M. Knoll (Steinfurt, FRG)
- Polymer film-based sensors for ammonia detection 492
S. A. Krutovertsev, S. I. Sorokin, A. V. Zorin, Ya. A. Letuchy and O. Yu. Antonova (Moscow, Russia)

Solid-State Chemical Sensors

- Diversiform applications of LaF₃ for chemical semiconductor sensors 497
W. Moritz, J. Szeponik, F. Lisdat, A. Friebe, S. Krause, R. Hintsche and F. Scheller (Berlin, FRG)
- Ion-implanted chalcogenide glasses as membrane materials for solid-state chemical sensors 501
Yu. G. Vlasov, E. A. Bychkov, B. L. Seleznev and M. S. Moloshova (Saint Petersburg, Russia)
- One-electrode semiconductor sensors for detection of toxic and explosive gases in air 505
S. N. Malchenko, I. N. Lychkovsky and M. V. Baykov (Minsk, Byelorussia)

Environmental Applications

- Use of a fibre optic immunosensor for the detection of pesticides. 509
F. F. Bier, W. Stöcklein, M. Böcher, U. Bilitewski and R. D. Schmid (Braunschweig, FRG)
- Determination of organophosphorus insecticides with a choline electrochemical biosensor. 513
G. Palleschi, M. Bernabei, C. Cremisini (Rome, Italy) and M. Mascini (Florence, Italy)
- Gas metabolism measurements of aquatic living structures by membrane inlet mass spectrometry for water pollution detection 518
O. Cristea (Cluj-Napoca, Romania) and G. Langer (Debrecen, Hungary)
- NO₂ monitoring as an air pollutant using lead phthalocyanine thin film sensors 522
A. Heilmann, M. Müller, C. Hamann (Chemnitz, FRG) and V. Lantto (Oulu, Finland)

Test and Characterization

- An oven to test fluorescent-decay temperature sensors 529
L. Crovini and V. Fericola (Turin, Italy)

Ion Sensors

- Suitable ion-selective sensors for lead and cadmium analysis 535
A. Borraccino, L. Campanella, M. P. Sammartino, M. Tomassetti and M. Battilotti (Rome, Italy)
- An optical sensor for the detection of heavy metal ions 540
R. Czolk, J. Reichert and H. J. Ache (Karlsruhe, FRG)
- Copper(II) ion-selective sensor with electrolytically plated chalcogenide coating. 544
G. Papeschi, S. Pizauti, P. Gratteri and M. Larini (Florence, Italy)
- Electrochemical sensors for the determination of metal ions 549
D. Compagnone (Rome, Italy and Cranfield, UK), J. V. Bannister (Cranfield, UK and Msida, Malta) and G. Federici (Rome, Italy)

ISFET Sensors

- Flow-through pH-ISFET+reference-ISE as integrated detector in automated FIA determinations 555
S. Alegret, J. Bartolí, C. Jimenez-Jorquera, M. del Valle, C. Dominguez, J. Esteve and J. Bausells (Barcelona, Spain)
- Modelling non-ideal behaviours in H⁺-sensitive FETs with SPICE 561
S. Martinoia, M. Grattarola and G. Massobrio (Genoa, Italy)
- An extended model of the electrolyte/hydrogen ion-sensitive field-effect transistor system 565
W. Torbicz and Z. Sypniewska (Warsaw, Poland)
- Ion-sensitive field-effect transistor with improved membrane adhesion 572
S. Ufer and K. Cammann (Münster, FRG)
- Characterization of ion-implanted gate insulator films for use as ion-selective membrane in ISFETs. 576
M. T. Pham (Dresden, FRG)
- Lead-selective FET: complexation selectivity of ionophores embedded in the membrane. 580
E. Davini, G. Mazzamurro and A. Piotto (Monterotondo, Italy)

Acoustic and Ultrasonic Sensors

- Sensitivity and selectivity of surface acoustic wave sensors for organic solvent vapour detection 587
D. Amati, D. Arn, N. Blom, M. Ehrat, J. Saunois and H. M. Widmer (Basel, Switzerland)
- Fluidic-acoustic gas sensors. 592
L. Zipser (Dresden, FRG)
- Mechanical resonance gas sensors with piezoelectric excitation and detection using PVDF polymer foils 596
R. Block, G. Fickler, G. Lindner, H. Müller and M. Wohnhas (Weingarten, FRG)
- Acoustic Love-wave sensor for K⁺ concentration in H₂O solutions 602
C. Caliendo, E. Verona, A. D'Amico, M. Mascini and D. Moscone (Rome, Italy)

Solid-State Gas Sensors

- Design of polycrystalline gas sensors based on admittance spectrum measurements 609
 F. J. Gutiérrez, L. Arés, J. I. Robla, M. C. Horrillo, I. Sayago and J. A. Agapito (Madrid, Spain)
- Different catalytic metals (Pt, Pd and Ir) for GaAs Schottky barrier sensors. 614
 L. M. Lechuga, A. Calle, D. Golmayo and F. Briones (Madrid, Spain)
- Interface and surface statistics for a Schottky-barrier gas sensor 619
 H. Geistlinger (Leipzig, FRG)
- Change of ferric oxide (Fe_2O_3) semiconductor conductivity type in the interaction with reducing gases 626
 A. A. Vasiliev and M. A. Polykarpov (Moscow, Russia)

Chlorine Sensors

- SnInO-based chlorine gas sensor 633
 A. Galdikas, Z. Martūnas and A. Šetkus (Vilnius, Lithuania)
- Contribution to the interpretation of the thermodynamic and kinetic behaviour of chlorine gas solid-state potentiometric sensors 637
 C. M. Mari, A. Lauricella, D. Narducci (Milan Italy) and G. B. Barbi (Ispra, Italy)

Technology of Gas Sensors

- IR study of gas-sensor materials: NO interaction of ZnO and TiO_2 , pure or modified by metals 645
 F. Boccuzzi, E. Guglielminotti and A. Chiorino (Turin, Italy)
- The modification of gas-sensing properties of semiconducting oxides by treatment with ionizing radiation 651
 O. M. Merdignac, P. T. Moseley, R. Peat, C. J. Sofield and S. Sugden (Didcot, UK)
- Catalytic oxidation of methane on platinum thin films. 656
 J. J. Ehrhardt, L. Colin (Villers les Nancy, France), A. Accorsi, M. Kazmierczak and I. Zdanevitch (Verneuil en Halatte, France)
- Polymer membranes for modification of the selectivity of field-effect gas sensors 661
 E. Hedborg, A. Spetz, F. Winquist and I. Lundström (Linköping, Sweden)
- Gas analysis using a thermal conductivity method. 665
 J. Hale, G. Stehle and I. Bals (Vesenaz, Switzerland)
- A gas sensor based on an integrated optical Mach-Zehnder interferometer 672
 N. Fabricius (Waghäusel-Kirrlach, FRG), G. Gauglitz and J. Ingenhoff (Tübingen, FRG)
- Hydrogen chloride detection by LiTaO_3 677
 M. Faccio, G. Ferri, P. P. Ponti (L'Aquila, Italy), G. Savelli (Perugia, Italy) and A. D'Amico (Rome, Italy)

Hydrogen Sensors

- Integrated optic sensor for the detection of H_2 concentrations 685
 A. Bearzotti, C. Caliendo, E. Verona and A. D'Amico (Rome, Italy)

SnO_2 Sensors

- A comparative study of SnO_2 and $\text{CrO}_x/\text{SnO}_2$ powders: their microstructures and their different response to CO, NO, H_2 and CH_4 atmospheres 691
 G. Ghiotti, A. Chiorino, Wei Xiong Pan and L. Marchese (Turin, Italy)
- Detection of NO and unburnt gases in combustion processes using SnO_2 sensors operated at different temperatures 700
 J. Huusko, H. Torvela and V. Lantto (Oulu, Finland)
- Electrical transport properties of thin polycrystalline SnO_2 film sensors 704
 V. Demarne, A. Grisel (Neuchâtel, Switzerland), R. Sanjinés, D. Rosenfeld and F. Lévy (Lausanne, Switzerland)
- Comparison of ceramic, thick-film and thin-film chemical sensors based upon SnO_2 709
 K. D. Schierbaum, U. Weimar and W. Göpel (Tübingen, FRG)
- Sensitivity to reducing gas as a function of energy barrier in SnO_2 thick-film gas sensor. 717
 G. Martinelli and M. C. Carotta (Ferrara, Italy)
- A novel PVD technique for the preparation of SnO_2 thin films as $\text{C}_2\text{H}_5\text{OH}$ sensors 721
 G. Sberveglieri, G. Faglia, S. Groppelli, P. Nelli and A. Taroni (Brescia, Italy)

Detection of phosphine and arsine in air by sensors based on SnO_2 and ZnO	727
A. E. Varfolomeev, A. I. Volkov, A. V. Eryshkin, V. V. Malyshev, A. S. Rasumov and S. S. Yakimov (Moscow, Russia)	
Oxygen Sensors	
On-line failure detection for potentiometric solid-electrolyte oxygen gas sensors	733
M. Bode, P. Hauptmann and H. Rau (Magdeburg, FRG)	
$\text{La}_{1.825}\text{Sr}_{0.175}\text{Cu}_{1-x}\text{Fe}_x\text{O}_y$ and $\text{YBa}_2(\text{Cu}_{1-x}\text{Fe}_x)_3\text{O}_y$ for electrodes of electrochemical oxygen sensors	738
V. K. Gilderman, A. N. Andreeva and S. F. Palguez (Yekaterinburg, Russia)	
The influence of the surface transfer reaction on the response characteristics of resistive oxygen sensors	742
C. Tragut (Karlsruhe, FRG)	
Oxygen gas-sensing characteristics for $\text{ZnO}(\text{Li})$ sputtered thin films.	747
G. Sberveglieri, S. Groppelli, P. Nelli (Brescia, Italy), F. Quaranta, A. Valentini (Bari, Italy) and L. Vasanelli (Lecce, Italy)	
Absorption-based optical-fibre oxygen sensor	752
F. Baldini, M. Bacci, F. Cosi and A. Del Bianco (Florence, Italy)	
Ultramicroelectrode arrays as transducers for new amperometric oxygen sensors	758
B. Ross, K. Cammann (Münster, FRG), W. Mokwa and M. Rospert (Duisburg, FRG)	
Kinetics of oxygen incorporation in SrTiO_3 (Fe-doped): an optical investigation	763
T. Bieger, J. Maier (Stuttgart, FRG) and R. Waser (Aachen, FRG)	
Optical Fibre Sensors	
Four-layer chemical fibre optic plasmon-based sensor	771
I. Garcés, C. Aldea and J. Mateo (Zaragoza, Spain)	
Optical fibre bile sensor for entero-gastric reflux detection.	775
P. Bechi, F. Pucciani, R. Falciai, F. Baldini, F. Cosi (Florence, Italy), A. Bini and F. Milanese (Calenzano, Italy)	
Fibre-optic smoke sensor	780
M. Brenci, D. Guzzi, A. Mencaglia and A. G. Mignani (Florence, Italy)	
Automotive Sensors	
Comparison of transient response of exhaust gas sensors based on thin films of selected metal oxides	787
U. Lampe, J. Gerblinger and H. Meixner (Munich, FRG)	
Causes of fast degradation of thin-film lambda probes in motor vehicle exhaust and initial measures to improve long-term stability	792
W. Hanrieder, S. Kornely, U. Lampe and H. Meixner (Munich, FRG)	
Author Index of Volumes B6 and B7.	799
Subject Index of Volumes B6 and B7.	801

